



TYPICAL TRACK SECTION



SCALE 1:50

KEY:

- PERMEABLE TYPE 1 RUNNING SURFACE
- PERMEABLE BASE/CAPPING LAYER
- TOPSOIL
- SUBGRADE
- EXISTING GROUND LEVEL

NOTES:

1. SCALING FOR PLANNING USE ONLY.
2. ALL EMBANKMENT SLOPES TO BE PROVIDED AT A STABLE ANGLE BASED ON THE PROPERTIES OF THE MATERIAL ENCOUNTERED ON SITE.
3. TRACK CONSTRUCTION TYPE TO BE DETERMINED DURING DETAILED DESIGN. LAYOUT OF DRAINAGE MAY VARY.
4. RUNNING SURFACE AND BASE/CAPPING LAYER TO BE FORMED FROM SUITABLE MATERIALS COMPACTED IN LAYERS.
5. GEOSYNTHETIC REINFORCEMENT OR SOIL STABILISATION MAY BE USED TO REDUCE THE DEPTH OF TRACK CONSTRUCTION. REQUIREMENT TO BE DETERMINED DURING DETAILED DESIGN.
6. OPTIONAL DRAINAGE SWALES SHOWN. ACTUAL REQUIREMENTS TO BE DETERMINED DURING DETAILED DESIGN.

3	FG	BY APPD	JW	2024-12-16	Note 1 amended
2	FG	JM	JW	2024-09-12	Key updated
1	FG	JM	JW	2024-07-04	First Issue
ISSUE	DRAWN	CHKD	APPD	DATE	REVISION NOTES

PURPOSE		COORDINATES	
PERMITTING		N/A	
SCALE	1:50 @A3	DATUM	N/A
LAYOUT DRAWING	N/A	T-LAYOUT NO	N/A

PROJECT TITLE
BEANE SOLAR

DRAWING TITLE
**FIGURE 12
TYPICAL ACCESS TRACK DETAIL**

RES DRAWING NUMBER	REV
05003-RES-ERW-DR-PT-001	3

THIS DRAWING IS THE PROPERTY OF RENEWABLE ENERGY SYSTEMS LIMITED AND NO REPRODUCTION MAY BE MADE IN WHOLE OR IN PART WITHOUT PERMISSION



BEAUFORT COURT,
EGG FARM LANE,
KINGS LANGLEY,
HERTS WD4 8LR, UK
TEL +44 (0) 1923 299200
WWW.RES-GROUP.COM